



Main Concepts

Data Management and Stewardship Maturity Matrix (DMSMM): E S Main concepts

DMSMM defines all activities needed to preserve and improve the information content, quality, accessibility, and usability of data and metadata.

Data stewardship "encompasses all activities that preserve and improve the information content, accessibility, and usability of data and metadata" (National Research Council 2007).

Data management includes all activities for "planning, execution and oversight of policies, practices and projects that acquire, control, protect, deliver and enhance the value of data and information assets." (Mosely et al. 2009).

CEOS WGISS Data Management & Stewardship Maturity Matrix

		DISCOVERABILITY	ACCESSIBILITY	USABILITY				PRESERVATION		CURATION			
		MMP1 Metadata for Discovery	MMP2 Online Access	MMP3 Data Encoding	MMP4 Data Documentation	MMP5 Data Traceability	MMP6 Data Validation	MMP7 Data Uncertainty	MMP8 Data Quality Control	MMP9 Data Preservation	MMP10 Data Verification	MMP11 Data Processing/Reprocessing	MMP12 Persistent & Resolvable Identifier
ı	Level-0 Not Managed	1) No catalogue available 2) No advertising available	Data and metadata are not accessible online	Data Not Structured Non-standard or proprietary data format, or, poorly-documented standard file format.	Partial and incomplete mission documentation	Limited product information available (not online)	Reference Data Representativeness - No validation Reference Data Quality - No validation Validation Method - No validation Validation Method - No validation Validation Results - No validation	Uncertainty Method: Uncertainty characterisation not performed, or method not documented. Uncertainty Sources: Uncertainty characterisation not performed, or sources analysed not documented. Uncertainty Values: No uncertainty information provided.	1) No control and monitoring check 2) No quality indicator in metadata 3) No procedures documentation	Uncontrolled storage location. Only data are stored. Data Records archiving not managed. Relevant information on Product Details Assessment not made available.	No Data/Associated Information integrity, authenticity and readability check	No reprocessing activities planned Pre-flight calibration & characterisation not documented or information not available. Post-launch calibration & characterisation not documented or not available. Processing: Additional processing steps not documented.	No persistent and resolvable identifiers available
	Level-1 Partially Managed	Advertising available Catalogue search available at product level with minimum set of metadata	Basic online services available for data and metadata access	Basic schema for automated data use 2) Data in documented standard file format. Non-standard naming conventions used.	Already existent mission documentation available and preserved for the long term No link between mission documentation and data records	Product information available (not online)	I) Reference Data Representativeness: measurements assessed to be mostly representative of the satellite measurements, covering a primary range satellite of measurements and at adhoc opportunities 2) Reference Data Quality: single uncertainty for the entire dataset. 3) Validation Method: simple uncertainty estimated 4) Validation Results: Validation results show good agreement between satellite and reference measurements within uncertainties in most cases.	Uncertainty Method: Limited use of GUM approach, and/or, an expanded comparison to measurements by other sensors. Uncertainty Sources: Most important sources of uncertainty included. Uncertainty Values: Single uncertainty value provided for subsets of data	Basic data quality control and monitoring check Minimal set of quality control procedures documented and available	Basic archiving for original data records preservation Assessment of SW preservation 3) Product Details Assessment: Any required information missing	Data Records/Associated Information integrity basic check	1) Minor updates and bugs corrections of data records implemented 2) Data Records repackaging and/or reformatting 3) Pre-flight calibration & characterisation misses some important aspects of instrument behaviour and/or is not entirely of a level of quality to be judged fit for purpose 4) Post-launch calibration & characterisation misses some important aspects of instrument behaviour and/or is not entirely of a level of quality to be judged fit for purpose. 5) Additional processing steps documented. Some important additional processing steps may not be fit for stated purpose.	1) Persistent identifier assignment only for particular Data Records Collections 2) Basic landing pages management
	Level-2 Managed	Detailed catalogue search available at product level Product metadata oriented towards an international standard Data Records Collection and Associated Information searchable. Collection metadata oriented towards an international standard	1) Simple Access Architecture through metadata 2) Data access system oriented towards an international standard	1) Use of non- proprietary international standards encodings for syntactic interoperability 2) Periodically repackaging/ reformatting of archived data. 3) Data in well- documented standard file format, community naming convention standards.	Documentation produced, published and well described 2) Link between mission documentation and data records created and managed	Dataset tested for presence of correct provenance metadata. Well described product information available online	1) Reference Data Representativeness: measurements assessed to be well representative of the satellite measurements, covering a reasonable range of the satellite's measurements, covering a reasonable range of the satellite's measurements and carried out using FRM or community approved methods. 2) Reference Data Quality: full uncertainty information, assessed following the GUM and traceable to community reference or 31 3) Validation Methods assess satellite measurements and reference data v.r.t. their uncertainties. 4) Validation Results show excellent agreement between satellite and reference measurements, within uncertainties. Analysis performed independently of satellite mission owner.	1) Uncertainty Method: GUM approach to estimate measurement uncertainty with full breakdown of components and separated as Type A or B classification. 2) Uncertainty Sources: All important sources of uncertainty included. 3) Uncertainty Values: Total uncertainty per pixel is provided, with basic breakdown of key components no error-covariance.	Quality indicator post- processing available Quality control procedures documented and available online	1) Preservation repository certified internally 2) Community-standard for archiving metadata 3) Product Details 3) Product Details Assessment: All required information available, any recommended information missing	Data Records/Associated Information content integrity check and verification Media readability and accessibility testing	1) Reprocessing for calibration and/or algorithm improvement 2) Pre-flight calibration & characterisation covers all reasonable aspects of instrument behaviour to a quality that is "fit for purpose" in terms of the mission's stated performance. Calibration traceable to SI or community reference, characterisation meets good practice. 3) Post-launch calibration & characterisation covers all reasonable aspects of instrument behaviour to a quality that is "fit for purpose" in terms of the mission's stated performance and uses appropriate community infrastructure/methods (CEOS/FRMs). 4) Processing: Additional processing steps documented. All additional processes steps if for stated purpose.	1) Persistent identifier assignment to all disseminated Data Records Collections and metadata 2) Automatic landing page generation and extensive management of landing pages
	Level-3 Fully Managed	1) Product rich metadata fully compliant with an international standard 2) Collection metadata fully compliant with an international standard 3) Catalogue accessible via an accepted international or community agreed upon standards protocol 4) Data policy on the use conditions/restrictions and legal constraints of the data, available in metadata 5) Periodic updates of metadata in the catalogue 6) Quality indicator metadata available and discoverable 7) Search results ordered by relevancy. 8) Seamless transition from discovery to access	international standard 2) Data policy regarding use conditions and restrictions of the data, available in the metadata. 3) Visualisation services allowing a user to view images of data 4) Reporting system available 5) Hosted processing 6) Quick adoption to new technologies and standards evolution 7) Data and metadata accessible through a	1) Accepted and Available semantic encoding standards for complete interoperability 2) Data and metadata uses FAIR-compliant vocabularies 3) Analysis Ready Data standard	1) Standards based metadata for documentation 2) Link between mission documentation and data records published	1) Automatic metadata generation for provenance documentation 2) Complete and updated data provenance available online	1) Reference Data Representativeness: Reference measurements independently assessed to be fully representative of the satellite measurements, covering the satellite's full range of measurements and with full assessment of uncertainties and carried out on a regular basis determined by product performance. 2) Reference Data Quality: full uncertainty and error-correlation information, assessed following the GUM and traceable to SI 3) Validation Methods assess satellite measurements and reference data w.r.t. their error-covariance and validates those uncertainties. 4) Validation Results show excellent agreement between satellite and reference measurements, within uncertainties. Uncertainty validated. Analysis performed independently of satellite mission owner.	1) Uncertainty Method: GUM approach to estimate measurement uncertainty, including a treatment of error-covariance. 2) Uncertainty Sources: All reasonable sources of uncertainty included. 3) Uncertainty Values: Uncertainties per pixel provided with error-covariance information for all appropriate components.	international standard 2) Quality indicator pre and post processing	1) Preservation repository officially certified 2) Periodic technology refreshment 3) Identify and manage the basic preservation of relevant mission SW, ensuring that preserved data can be recreated. 4) Continuity of service availability 5) Product Details Assessment: All required and recommended information available	1) Automatic Data Records/Associated Information content integrity check and verification 2) Data authenticity verifiable internally and by the final user 3) Automatic verification process, including monitoring and reporting	1) Reprocessing for time-series creation 2) Roadmap for technology evolution 3) Plurality of accurate and relevant attributes are provided to allow reuse 4) Metadata includes information about the licence under which the data can be reused 5) Pre-Elight: As Lewel-2, additionally calibration and characterisation includes the measurements needed to assess uncertainties at component level and their impact on the final product. 6) Post-launch calibration & characterisation covers all reasonable aspects of instrument behaviour to a quality that is "fit for purpose" in terms of the mission's stated performance. Measurements fully traceable to SI or community reference at an uncertainty commensurate with the product specification and carried out regularly across the full range of observational conditions of the product and dynamic range. 7) Processing: All additional processing steps fully documented and state-of-the-art.	1) Persistent identifier created for all accessible data records and metadata 2) Metadata includes the identifier for the data 3) Metadata is offered in such a way that it can be harvested and indexed

http://ceos.org/document_management/Working_Groups/WGISS/Interest_Groups/Data_Stewardship/White_Papers/WGISS%20Data%20Management%20and%20Stewardship%20Maturity%20Matrix.pdf

WGISS DMSMM pillars



5 Areas

- Discoverability
- Accessibility
- Usability
- Preservation
- Curation

4 Level of Maturity

- L0 Not Managed
- L1 Partially Managed
- L2 Managed
- L3 Fully Managed

12 Components

- Metadata for Discovery
- Online Access
- Data encoding
- Data Documentation
- Data Traceability
- Data Validation
- Data Metrology (e.g. Uncertainty)
- Data Quality Control
- Product Details
- Data Preservation
- Data Verification
- Data Processing/Reprocessing
- Persistent & Resolvable Identifier



Step by step in DMSMM

	PRESERVA	ATION
	MMP9 Data Preservation	MMP10 Data Verification
LO	1) Uncontrolled storage location. 2) Only data are stored 3) Data Records archiving not managed 4) Relevant information on Product Details Assessment not made available	integrity, authenticity and readability check
L1	1) Basic archiving for original data records preservation 2) Assessment of SW preservation 3) Product Details Assessment: Any required information missing	Data Records/Associated Information integrity basic check
L2	1) Preservation repository certified internally 2) Community-standard for archiving metadata 3) Product Details Assessment: All required information available, any recommended information missing	1) Data Records/Associated Information content integrity check and verification 2) Media readability and accessibility testing
L3	1) Preservation repository officially certified 2) Periodic technology refreshment 3) Identify and manage the basic preservation of relevant mission SW, ensuring that preserved data can be recreated. 4) Continuity of service availability 5) Product Details Assessment: All required and recommended information available	1) Automatic Data Records/Associated Information content integrity check and verification 2) Data authenticity verifiable internally and by the final user 3) Automatic verification process, including monitoring and reporting

PRESERV <i>A</i>	TION			
MMP9 Data Preservation	MMP10 Data Verification			
1) Uncontrolled storage location. 2) Only data are stored 3) Data Records archiving not managed 4) Relevant information on Product Details Assessment not made available	No Data/Associated Information integrity, authenticity and readability check			
1) Basic archiving for original data records preservation 2) Assessment of SW preservation 3) Product Details Assessment: Any required information missing	Data Records/Associated Information integrity basic check 1) Data Records/Associated Information content integrity check and verification 2) Media readability and accessibility testing			
1) Preservation repository certified internally 2) Community-standard for archiving metadata 3) Product Details Assessment: All required information available, any recommended information missing				
1) Preservation repository officially certified 2) Periodic technology refreshment 3) Identify and manage the basic preservation of relevant mission SW, ensuring that preserved data can be recreated. 4) Continuity of service availability 5) Product Details Assessment: All required and recommended information available	1) Automatic Data Records/Associated Information content integrity check and verification 2) Data authenticity verifiable internally and by the final user 3) Automatic verification process, including monitoring and reporting			



Perform a verification for each task putting in green the tasks already implemented.

PRESERVATION							
MMP9 Data Preservation	MMP10 Data Verification						
1) Uncontrolled storage location. 2) Only data are stored 3) Data Records archiving not managed 4) Relevant information on Product Details Assessment not made available	integrity, authenticity and readability check						
1) Basic archiving for original data records preservation 2) Assessment of SW preservation 3) Product Details Assessment: Any required information missing	Data Records/Associated Information integrity basic check						
1) Preservation repository certified internally 2) Community-standard for archiving metadata 3) Product Details Assessment: All required information available, any recommended information missing	Data Records/Associated Information content integrity check and verification Media readability and accessibility testing						
1) Preservation repository officially certified 2) Periodic technology refreshment 3) Identify and manage the basic preservation of relevant mission SW, ensuring that preserved data can be recreated. 4) Continuity of service availability 5) Product Details Assessment: All required and recommended information available	1) Automatic Data Records/Associated Information content integrity check and verification 2) Data authenticity verifiable internally and by the final user 3) Automatic verification process, including monitoring and reporting						

L0

L2

L3

PRESERV <i>A</i>	ATION
MMP9 Data Preservation	MMP10 Data Verification
1) Uncontrolled storage location. 2) Only data are stored 3) Data Records archiving not managed 4) Relevant information on Product Details Assessment not made available	No Data/Associated Information integrity, authenticity and readability check
1) Basic archiving for original data records preservation 2) Assessment of SW preservation 3) Product Details Assessment: Any required information missing	Data Records/Associated Information integrity basic check
1) Preservation repository certified internally 2) Community-standard for archiving metadata 3) Product Details Assessment: All required information available, any recommended information missing	1) Data Records/Associated Information content integrity check and verification 2) Media readability and accessibility testing
1) Preservation repository officially certified 2) Periodic technology refreshment 3) Identify and manage the basic preservation of relevant mission SW, ensuring that preserved data can be recreated. 4) Continuity of service availability 5) Product Details Assessment: All required and recommended information available	1) Automatic Data Records/Associated Information content integrity check and verification 2) Data authenticity verifiable internally and by the final user 3) Automatic verification process, including monitoring and reporting



Perform this kind of verification for each task in the maturity level under analysis.

L0

L1

L2

L3

PRESERVA	ATION	PRESERV.	ATION		
MMP9 Data Preservation	MMP10 Data Verification	MMP9 Data Preservation	MMP10 Data Verification		
1) Uncontrolled storage location. 2) Only data are stored 3) Data Records archiving not managed 4) Relevant information on Product Details Assessment not made available	integrity, authenticity and readability check	1) Uncontrolled storage location. 2) Only data are stored 3) Data Records archiving not managed 4) Relevant information on Product Details Assessment not made available	No Data/Associated Information integrity, authenticity and readal check		
1) Basic archiving for original data records preservation 2) Assessment of SW preservation 3) Product Details Assessment: Any required information missing	Data Records/Associated Information integrity basic check	Basic archiving for original data records preservation Assessment of SW preservation Product Details Assessment: Any required information missing	Data Records/Associated Inform integrity basic check		
1) Preservation repository certified internally 2) Community-standard for archiving metadata 3) Product Details Assessment: All required information available, any recommended information missing	1) Data Records/Associated Information content integrity check and verification 2) Media readability and accessibility testing	1) Preservation repository certified internally 2) Community-standard for archiving metadata 3) Product Details Assessment: All required information available, any recommended information missing	Data Records/Associated Information content integrity ch and verification Media readability and accessi testing		
1) Preservation repository officially certified 2) Periodic technology refreshment 3) Identify and manage the basic preservation of relevant mission SW, ensuring that preserved data can be recreated. 4) Continuity of service availability 5) Product Details Assessment: All required and recommended information available	1) Automatic Data Records/Associated Information content integrity check and verification 2) Data authenticity verifiable internally and by the final user 3) Automatic verification process, including monitoring and reporting	1) Preservation repository officially certified 2) Periodic technology refreshment 3) Identify and manage the basic preservation of relevant mission SW, ensuring that preserved data can be recreated. 4) Continuity of service availability 5) Product Details Assessment: All required and recommended information available	1) Automatic Data Records/Associated Information content integrity check and verification 2) Data authenticity verifiable internally and by the final user 3) Automatic verification proces including monitoring and report		



When all tasks in the analysed maturity level are fully covered, fill with a colour the whole cell in green.

	PRESERVA	TION			
	MMP9 Data Preservation	MMP10 Data Verification			
-0	1) Uncontrolled storage location. 2) Only data are stored 3) Data Records archiving not managed 4) Relevant information on Product Details Assessment not made available	No Data/Associated Information integrity, authenticity and readability check			
_1	1) Basic archiving for original data record preservation 2) Assessment of SW preservation 3) Product Details Assessment: Any required information missing	Data Records/Associated information integrity basic check			
.2	1) Preservation repository certified internally 2) Community-standard for archiving metadata 3) Product Details Assessment: All required information available, any recommended information missing	1) Data Records/Associated Information content integrity check and verification 2) Media readability and accessibility testing			
.3	1) Preservation repository officially certified 2) Periodic technology refreshment 3) Identify and manage the basic preservation of relevant mission SW, ensuring that preserved data can be recreated. 4) Continuity of service availability 5) Product Details Assessment: All required and recommended information available	1) Automatic Data Records/Associated Information content integrity check and verification 2) Data authenticity verifiable internally and by the final user 3) Automatic verification process, including monitoring and reporting			

PRESERVA	ATION			
MMP9 Data Preservation	MMP10 Data Verification			
1) Uncontrolled storage location. 2) Only data are stored 3) Data Records archiving not managed 4) Relevant information on Product Details Assessment not made available	No Data/Associated Information integrity, authenticity and readability check			
Basic archiving for original data records preservation Assessment of SW preservation Product Details Assessment: Any required information missing	Data Records/Associated Information integrity basic check			
Preservation repository certified internally Community-standard for archiving metadata Product Details Assessment: All required information available, any recommended information missing	1) Data Records/Associated Information content integrity check and verification 2) Media readability and accessibility testing			
1) Preservation repository officially certified 2) Periodic technology refreshment 3) Identify and manage the basic preservation of relevant mission SW, ensuring that preserved data can be recreated. 4) Continuity of service availability 5) Product Details Assessment: All required and recommended information available	1) Automatic Data Records/Associated Information content integrity check and verification 2) Data authenticity verifiable internally and by the final user 3) Automatic verification process, including monitoring and reporting			



The analysis continues going on to the next level of maturity.

	PRESERVATION							
	MMP9 Data Preservation	MMP10 Data Verification						
L0	1) Uncontrolled storage location. 2) Only data are stored 3) Data Records archiving not managed 4) Relevant information on Product Details Assessment not made available	No Data/Associated Information integrity, authenticity and readability check						
L1	Basic archiving for original data records preservation Assessment of SW preservation Product Details Assessment: Any required information missing	Data Records/Associated Inform integrity basic check						
L2	1) Preservation repository certified internally 2) Community-standard for archiving metadata 3) Product Details Assessment: All required information available, any recommended information missing	1) Data Records/Associated Information content integrity check and verification 2) Media readability and accessibility testing						
L3	1) Preservation repository officially certified 2) Periodic technology refreshment 3) Identify and manage the basic preservation of relevant mission SW, ensuring that preserved data can be recreated. 4) Continuity of service availability 5) Product Details Assessment: All required and recommended information available	1) Automatic Data Records/Associated Information content integrity check and verification 2) Data authenticity verifiable internally and by the final user 3) Automatic verification process, including monitoring and reporting						

PRESERVA	TION				
MMP9 Data Preservation	MMP10 Data Verification				
1) Uncontrolled storage location. 2) Only data are stored 3) Data Records archiving not managed 4) Relevant information on Product Details Assessment not made available	No Data/Associated Information integrity, authenticity and readability check				
1) Basic archiving for original data records preservation 1) Assessment of SW preservation 3) Product Details Assessment: Any required information missing	Data Records/Associated Information integrity basic check				
1) Preservation repository certified internally 2) Community-standard for archiving metadata 3) Product Details Assessment: All required information available, any recommended information missing	1) Data Records/Associated Information content integrity check and verification 2) Media readability and accessibility testing				
1) Preservation repository officially certified 2) Periodic technology refreshment 3) Identify and manage the basic preservation of relevant mission SW, ensuring that preserved data can be recreated. 4) Continuity of service availability 5) Product Details Assessment: All required and recommended information available	1) Automatic Data Records/Associated Information content integrity check and verification 2) Data authenticity verifiable internally and by the final user 3) Automatic verification process, including monitoring and reporting				



When a task is not already implemented it remains in black and at the end the cell, partially covered, becomes in light colour.

Score compilation

L0


L1

L2

L3

PRESERVA	ATION
MMP9 Data Preservation	MMP10 Data Verification
1) Uncontrolled storage location. 2) Only data are stored 3) Data Records archiving not managed 4) Relevant information on Product Details Assessment not made available	No Data/Associated integrity, auther eadability check
1) Basic archiving for original data records preservation 2) Assessment of SW preservation 3) Product Details Assessment: Any required information missing	Data Records/Associated Informatio integrity basic check
1) Preservation repository certified internally 2) Community-standard for archiving metadata 3) Product Details Assessment: All required information available, any recommended information missing	1) Data Records/Associated Information content integrity check and verification 2) Media readability and accessibility testing
1) Preservation repository officially certified 2) Periodic technology refreshment 3) Identify and manage the basic preservation of relevant mission SW, ensuring that preserved data can be recreated. 4) Continuity of service availability 5) Product Details Assessment: All required and recommended information available	1) Automatic Data Records/Associated Information content integrity check and verification 2) Data authenticity verifiable internally and by the final user 3) Automatic verification process, including monitoring and reporting





Example of final view of the DMSMM and Score



-	DISCOVERABILITY	ACCESSIBILITY	USABILITY			PRESERVATION		CURATION				
	MMP1 Metadata for Discovery	MMP2 Online Access	MMP3 Data Encoding	MMP4 Data Documentation	MMPS Data Traceability	MMP6 Data Validation	MMP7 Data Uncertainty	MMP8 Data Quality Control	MMP9 Data Preservation	MMP10 Data Verification	MMP11 Data Processing/Reprocessing	MMP12 Persistent & Resolvable Identifier
Level 0 Not Managed	No catalogue available No advertising available	Data and metadata are not accessible online	1) Data Not Structured 2) Non-standard or proprietary data format, or, poorly- documented standard file format.	Partial and incomplete mission documentation	Limited product information available (not online)	Reference Data Representativeness - No validation 2) Reference Data Quality - No validation 3) Validation Method - No validation 4) Validation Results - No validation	Uncertainty Method: Uncertainty characterisation not performed, or method not documented. Uncertainty Sources: Uncertainty characterisation not performed, or sources analysed not documented. Uncertainty Values: No uncertainty information provided.	No control and monitoring check No quality indicator in metadata No procedures documentation	Uncontrolled storage location. Only data are stored Data Records archiving not managed 4) Relevant information or Product Details Assessment not made	No Data/Associated Information Integrity, authenticity and readability check	No reprocessing activities planned Per ellight calibration & characterisation not documented or information not available. 3) Post-launch calibration & characterisation not documented or not available. 4) Processing. Additional processing steps not documented.	No persistent and resolvable identifiers available
	Advertising available Catalogue search available at product level	Basic online services available for data and metadata access	Basic schema for automated data use Data in documented standard file format. Non-standard naming conventions used.	1) Already existent mission documentation available and preserved for the long term 2) No link between mission documentation and data records	Product information available (not online)	1) Reference Data Representativeness: measurements assessed to be mostly representative of the satellite measurements 22 Reference Data Quality: single uncertainty for the entire dataset. 3) Validation Method: simple uncertainty estimated 41 Validation Results: Validation results show good agreement between satellite and reference measurements within uncertainties in most cases.	1) Uncertainty Method: Limited use of GUM approach, and/or, an expanded comparison to measurements by other sensors. 2) Uncertainty Sources: Most important sources of uncertainty included. 3) Uncertainty Values: Single uncertainty value provided for subsets of data	Basic data quality control and monitoring check Minimal set of quality control procedures documented and available	Basic archiving for original data records preservation 2) Assessment of SW preservation 3) Product Details Assessment: Any required information missing	Data Records/Associated Information integrify basic check	Minor updates and bugs corrections of data records implemented 20 total Records repackaging and/or reformatting 3) Pre-flight calibration & characterisation misses some important aspects 4) Post-launch calibration & characterisation misses some important aspects of instrument behaviour and/or is not entirely of a level of quality to be judged fif for purpose. 5) Additional processing steps documented. Some important additional processing steps may not be fit for stated purpose.	1) Persistent identifier assignment only for particular Data Records Collections 2) Basic landing pages management
tevel-2 Managed	1) Detailed catalogue search available at product level 2) Product metadata oriented towards an international standard 3) Data Collection and Associated Information searchable. 4) International standard for Collection metadata	1) Simple Access Architecture through metadata 2) Data access system oriented towards an international standard	I) Use of non- proprietary international standards encodings for syntactic interoperability. 2) Periodically respectaging/ reformatting of archived data. 3) Oat ain well-documented standard file format, community naming convention standard file.	1) Documentation produced, published and well described 2) Link between mission documentation and data records created and managed	Dataset tested for presence of correct provenance metadata. Well described product information available online	1) Reference Data Representativeness: measurements assessed to be well representative of the satellite measurements 2] Reference Data Quality; full uncertainty information 3] Validation Methods assess satellite measurements 4] Validation Results show excellent agreement between satellite and reference measurements, within uncertainties.	1) Uncertainty Method: GUM approach to estimate measurement uncertainty with full breakdown of components and separated as Type A or 8 classification. 2) Uncertainty Sources: All important sources of uncertainty included. 3) Uncertainty Values: Total uncertainty are pixel in provided, with basic breakdown of key components no error-covariance.	Quality indicator post-processing available [2] Quality control procedures documented and available online	Preservation repository certified internally 21 Community-standard for archiving metadata 31 Product Detailable, any recommended information available, any recommended information missing	1) Data Records/Associated information content integrity check and werification 2) Media read ability and accessibility testing	1) Reprocessing for calibration and/or algorithm improvement 2) Pre flight calibration & characterisation covers all reasonable aspects of all reasonable aspects of instrument behaviour to a quality that is "fit for purpose" in terms of the mission's stated performance and uses appropriate community infrastructure/methods (CEOS/FRMs). 4) Additional processing steps documented.	1) Persistent identifier assignment to all disseminated Data Records Collections and metadata 2) Automatic landing page generation and extensive management of landing pages
Level-3 Fully Maruged	international standard for Product metadata product metadata [1] International standard for Collection metadata 3.0 Catalogue accessible via international or community agreed standards protocol 4.1 Data policy available in metadata 5.7 Periodic updates of metadata in the catalogue 6.1 Quality indicator metadata available and discoverable 7.5 Search results relevancy. 8.1 Searnless transition	1) International standard for Data and metadata access system (2) Data policy available in the metadata 3) Visualisation services 3) Visualisation services (6) Quick adoption to new technologies and standards evolution to the data occessible through a free and open access protocol	Accepted and Available semantic encoding standards for complete interoperability Data and metadata uses FAIR-compliant vocabularies	1) Standards based metadata for documentation 2) Link between mission documentation and data records published	Automatic metadata generation for provenance documentation 2) Complete and updated data provenance available online	1) Reference Data Representativeness: Reference measurements independently assessed to be fully representative of the satellite measurements, covering the satellite for succession of the satellite measurements and with full assessment of uncertainties and carried out on a regular basis determined by product performance. 2) Reference Data Quality; full uncertainty and error-correlation information, assessed following the GIMM and traceoble to SI 3) Validation Methods assess satellite measurements and reference data wz.t. their error-covariance and validates those uncertainties. 4) Validation Results show excellent agreement between satellite and reference measurements, within	1) Uncertainty Method: GUM approach to estimate measurement uncertainty, including a treatment of error-covariance, Juncertainty Sources: All reasonable sources of uncertainty included. 3) Uncertainty Values: Uncertainties per pixel provided with error-covariance information for all appropriate components.	1) Data quality control fully compliant with an international standard 2) Quality indicator pre and post processing available in the metadata 3) Quality metadata assessed	1) Preservation repository officially certified 2) Periodic technology refreshronlogy refreshrent 3) identify and manage the basic preservation of relevant mission SW, ensuring that preserved data can be recreated. 4) Continuity of service availability 5) Product Details Assessment: All required and recommended and recommended information available.	1) Automatic Data Records/Associated Information content integrity check and werification 2) Data authenticity verifiable internally and by the final user 3) Automatic verification process, including monitoring and reporting	1) Reprocessing for time-series creation 2) Roadmap for technology evolution 3) Plurality of accurate and relevant attributes are provided to alliow reuse 4) Metadata includes information about the licence 5) Pre-Flight: As Level-2, additionally calibration and characterisation includes the measurements needed to assets uncertainties at component level and their impact on the final product. 6) Post-launch calibration & characterisation covers all reasonable aspects of instrument behaviour to a quality that is "fit for purpose" in terms of the mission's stated performance. 7) All additional processing steps fully documented and state-of-the-art.	1) Persistent identifier created for all accessible data records and metadata (2) Metadata includes the identifier for the data (3) Metadata is offered in such a way that it can be harvested and indexed

COMPONENTS	LO	L1	L2	L3
Metadata for Discovery	*	*	*	*
Online Access	*	*	*	*
Data Encoding	*	*	*	*
Data Documentation	*	*	*	*
Data Traceability	*	*	*	*
Data Validation	*	*	*	*
Data Uncertainty	*	*	*	*
Data Quality Control	*	*	*	*
Data Preservation	*	*	*	*
Data Verification	*	*	*	*
Data Processing/Reprocessing	*	*	*	*
Persistent & Resolvable Identifier	*	*	*	*